

RECEIVED

COMMONWEALTH OF PENNSYLVANIA MAY 2 3DEPARTMENT OF ENVIRONMENTAL PROTECTION OFFICE OF OIL AND GAS MANAGEMENT

DEP USE ONLY Application Tracking #

DEP SWDO

Proposed Alternate Method or Material for Casing, Plugging, Venting or Equipping a Well

Well Operator	- 3	DE	P ID#	Well Permit or Pegie	tration Number	70
Chevron Appalachia, LLC				Well Permit or Registration Number		
Address		27	9986	37-051-24708 Well Farm Name		
700 Cherrington Parkway				Edenborn/RGG	C D	
City	St	ate	Zip Code	Well #	Serial #	
Coraopolis	P		15108			004
Phone	Fax	A	113100	U16H County	37-051-1 Municipa	
ONLY WARRING WAS	412-865-2403			1		.5
				Fayette		n Township
A proposed alternate method is of the Coal and Gas Resource Methods.) Attach proof of noti Describe in reasonable	Coordination A fication of coal detail using a	Act, I op wri	58 P.S. §s erator(s). tten desci	513 and 25 PA Co	ode §§78.75-78.75a	(relating to Alternate
 the proposed alter the manner in whi 					laws and regulatio	ns.
See Attachment A				, g	o unu rogulullo	No.
Oce Attachment A			(sheron seria seria seria seria)	<i>/</i>	***************************************	
		***************************************	***************************************			
	***************************************	***************************************	***************************************			
	The state of the s	***************************************				
		***************************************	***************************************			>1e=(-1;->->-)
	annenementenementenementenementenementenementenementenementenementenementenementenementenementenementenementen					
		XXXIIIXXX				
						N-98-011-19-07-19-19-19-19-19-19-19-19-19-19-19-19-19-
						Harata II - Anna Anna Anna Anna Anna Anna Anna An
						(119)(110)(0)(1)(0)(1)(1)(1)(1)(1)(1)(1)(1)(1)(1)(1)(1)(1)
Optional: Approval by Coal Ov	wner or Operat	or		Signature of Appl	icant / Well Operate	or
Signature	***************************************	Dat	е :	Signature		Date
				THE S	XI	1-110
Print or Type Signer's Name and Title		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,				3/21/17
First of Type Signer's Name and Title				Print or Type Signer's Na	me and Title	,
				Kenneth D. Martz	Permitting Tear	m Lead
If optional approval is sign	ed by coal or	NNA				
optional approval to sign	od by coal of				objection pende	may be waived.
A. (250 M		D		E ONLY		
Approved by (DEP Manager)				Conditions		Date

YES, See Attached

Proposed Alternate Method or Material for Casing, Plugging, Venting or Equipping a Well

Chevron Appalachia, LLC

German Township, Fayette County

Farm Name & Well Number: Edenborn U16H AUTH # 1274670

051-24708

This Alternate Method is approved for work at the surface <u>ONLY</u>. Chevron may not run anything downhole, including not drilling out the shoe, prior to 8 hours.

DANIEL F. COUNAHAN

DISTRICT MANAGER

DATE

Proposed Alternate Method or Material for Casing, Plugging, Venting or Equipping a Well

Attachment A

Well Name & Number: Edenborn/RGGS B U16H

Well Permit Number: 37-051-24708

RECEIVED

MAY 23 2019

DEP SWDO

1. Problem:

According to 25 PA Code Section 78a.83(h) the maximum allowable hole drilled below the bottom of a mined out coal seam is 50 feet. In this area, 50 feet below the open mine is inadequate to collect the excess cavings encountered and run our coal mine protection string a minimum of 30 feet below the bottom of the mine (a DEP requirement). No gas zones are known to exist within 100 feet below the mine.

Recommendation:

Drill no more than 100 feet below the bottom of the mine; set the coal protection casing at least 30 feet (and perhaps more than 50 feet if the hole conditions dictate) below the bottom of the coal mine and cement to surface according to 25 PA Code Section 78.83(h)

2. Problem:

According to PA 25 Code Section 78a.85(c) After any casing cement is placed and cementing operations are complete, the casing may not be disturbed for a minimum of 8 hours by doing any of the following:

- (1) Releasing pressure on the cement head within 4 hours of cementing if casing equipment check valves did not hold or casing equipment was not equipped with check valves. After 4 hours, the pressure may be released at a continuous, gradual rate over the next 4 hours provided the floats are secure.
- (2) Nippling up on or in conjunction to the casing.
- (3) Slacking off by the rig supporting the casing in the cement sheath.
- (4) Running drill pipe or other mechanical devices into or out of the wellbore with the exception of a wireline used to determine the top of cement.

Recommendation:

The operator can perform BOP testing while waiting on the intermediate casing cement to cure for 8hrs. The following arguments are in support of the alternate method:

- The Well is a Utica well
- The casing equipment will be equipped with check valve(s). This alternate method applies only if the check valve(s) hold.
- The BOP would already be installed on the wellhead- Therefore there is no nipple up on or in conjunction to the casing
- The intermediate casing uses a hanger that lands in the wellhead- Therefore there is no slacking off by the rig supporting the casing in the cement sheath
- For 8 hrs. No drill pipe or other mechanical devices will be run into or out of the wellbore with the exception of wireline used to determine the top of the cement if need be.
- For 8 hrs. No pressure will be applied on the casing. A test plug will be landed inside the wellhead and casing valves open below the test plug during the entire test time.

SENDER: COMPLETE THIS SECTION	COMPLETE THIS SECTION ON DELI	VERY
Complete items 1, 2, and 3. Print your name and address on the reverse so that we can return the card to you. Attach this card to the back of the mailpiece, or on the front if space permits. Article Addressed to:	A. Signature B. Received by (Printed Name) CALL NSM H D. Is delivery address different from item ff YES, enter delivery address below	
RGGS Land & Minerals, LTD, LP 100 Waugh Drive Suite 400		
Houston, TX 7/007		
Houston, TX 77007 9590 9402 2937 7094 0760 00	☐ Adult Signature ☐ Adult Signature Restricted Delivery ☐ Restricted Delivery ☐ Certified Mail® ☐ Certified Mail Restricted Delivery ☐ Collect on Delivery M	iority Mail Express® gistered Mail™ gistered Mail Restricted livery sturn Receipt for erchandise gnature Confirmation™